

Technical Information

VESTANAT® EP-MF 201

SILANE CROSSLINKER FOR AMBIENT TEMPERATURE CURABLE SCRATCH RESISTANT COATINGS

VESTANAT® EP-MF 201 is a solvent free, and ready-to-use crosslinker or self-crosslinking binder. It can be used either as a single binder or in combination with appropriate co-binders. Such low VOC formulations show outstanding scratch and chemical resistance.



VALUE PROPOSITION & KEY BENEFITS

- Room temperature curable
- Substantial improvement of scratch resistance
- Solvent free
- Touch dry within one hour possible
- Ready-to-use 1K clearcoat
- Excellent chemical resistance


APPLICATION

Scratch resistant, ambient temperature cured pigmented or clear coatings for wood, plastic and maintenance applications.


FORM & USAGE

Transparent liquid with low viscosity, used as a single binder or in combination with appropriate co-binders (e.g. acrylate resins). Guiding formulations are available.

CURING SCHEDULE



CLEAR COAT



Standard 2K PUR

A Component from standard 2K PUR + VESTANAT® EP-MF 201 (No isocyanate hardener included.)

Technical Information

VESTANAT® EP-MF 201

DISCOVER MORE!

Further useful documents and information are available. Our local sales representatives look forward to serving you.

VESTANAT® is a registered trademark of Evonik Industries AG or one of its subsidiaries.

This information and all further technical advice are based on our present knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used.

EVONIK Resource Efficiency GmbH | Crosslinkers
Paul-Baumann-Straße 1 | 45764 Marl, Germany

Phone +49 2365 49-02
vesta@evonik.com | www.evonik.com/crosslinkers

EVONIK CORPORATION | Resource Efficiency
299 Jefferson Road | Parsippany, NJ 07054, USA

Phone +1 973 929-8462
vesta@evonik.com | www.evonik.com/crosslinkers